

Product Directory



Table of Contents

4	S4S Trimboard	20	Column Wrap
6	SurEdge Trimboard	24	Garage Door Trim
9	Prefinished Trimboard	26	Window & Door Trim
10	Conceal Trim System	28	Mouldings
14	Precision Cut Trimboard	45	FAQs
18	Sheet Board	50	Appendix
19	Nickel Gap/Shiplap, Beadboard & Wainscoting	59	Reference



Tier Explanations*

Tier 1 (Indicated by ●)

7 Days Ready-to-Ship

- Tough Pack Bundles and/or Standard Crate Quantities

Tier 2 (Indicated by ●)

Specialty Produce-to-Order

Goal 21 Days Ready-to-Ship

- Standard bulk crate quantity (customer price sheet or established quantity on existing SKU)

*Tier levels subject to change - contact Customer Service to verify Tier level for specific product needs.

Royal Trim Board Packaging Options

All SurEdge, S4S & Sheet products come with standard protective shroud. Tough Pack and Protective Film are custom packing options. Please check with customer service for additional details.

Description	Bulk Unit/Shroud	Tough Pack (Shrink Wrap)	Protective Film	Corrugated
S4S	●	●		
SurEdge	●	●	●	
Conceal	●	●		●
Sheet	●		●	

S4S Trimboard

S4S 5/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length					
			7'	8'	10'	12'	16'	18'
2150	5/8 x 2	5/8" x 1 1/2" - Smooth Only	•	•		•	•	•
7827	5/8 x 4	5/8" x 3 1/2"		•	•	•	•	•
7828	5/8 x 6	5/8" x 5 1/2"	•	•	•	•	•	•
7829	5/8 x 8	5/8" x 7 1/4"			•	•	•	•
7830	5/8 x 10	5/8" x 9 1/4"			•	•	•	•
7831	5/8 x 12	5/8" x 11 1/4"			•	•	•	•

S4S 4/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length			
			7'	10'	16'	18'
7832	1 x 2	3/4" x 1 1/2"			•	•
7833	1 x 3	3/4" x 2 1/2"				•
7834	1 x 4	3/4" x 3 1/2"	•	•	•	•
7871	1 x 5	3/4" x 4 1/2"		•		•
7835	1 x 6	3/4" x 5 1/2"	•		•	•
7836	1 x 8	3/4" x 7 1/4"		•	•	•
7837	1 x 10	3/4" x 9 1/4"		•	•	•
7838	1 x 12	3/4" x 11 1/4"		•	•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

S4S Trimboard


S4S 5/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length					
			7'	8'	12'	16'	18'	20'
7874	5/4 x 3	1" x 2 1/2"					•	
7840	5/4 x 4	1" x 3 1/2"	•	•	•	•	•	•
7875	5/4 x 5	1" x 4 1/2"		•	•		•	•
7841	5/4 x 6	1" x 5 1/2"	•	•	•	•	•	•
7842	5/4 x 8	1" x 7 1/4"			•		•	•
7843	5/4 x 10	1" x 9 1/4"			•		•	•
7844	5/4 x 12	1" x 11 1/4"			•		•	•


* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •



Reversible



Multiple Thicknesses



Multiple Widths

SurEdge Trimboard

SurEdge 5/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length	
			12'	18'
9759	5/8 x 4	5/8" x 3 1/2"	•	•
9760	5/8 x 6	5/8" x 5 1/2"	•	•
9761	5/8 x 8	5/8" x 7 1/4"	•	•
9762	5/8 x 10	5/8" x 9 1/4"	•	•
9763	5/8 x 12	5/8" x 11 1/4"	•	•
9784	5/8 x 14	5/8" x 13 1/4"	•	•
9764	5/8 x 16	5/8" x 15 1/4"		

SurEdge 4/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length	
			12'	18'
9766	1 x 3	3/4" x 2 1/2"	•	•
9767	1 x 4	3/4" x 3 1/2"	•	•
9768	1 x 5	3/4" x 4 1/2"	•	•
9769	1 x 6	3/4" x 5 1/2"	•	•
9770	1 x 8	3/4" x 7 1/4"	•	•
9771	1 x 10	3/4" x 9 1/4"	•	•
9772	1 x 12	3/4" x 11 1/4"	•	•
9788	1 x 14	3/4" x 13 1/4"	•	•
9773	1 x 16	3/4" x 15 1/4"		


* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

SurEdge Trimboard

SurEdge 5/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length		
			12'	18'	20'
9774	5/4 x 3	1" x 2 1/2"	•	•	•
9775	5/4 x 4	1" x 3 1/2"	•	•	•
9776	5/4 x 5	1" x 4 1/2"	•	•	•
9777	5/4 x 6	1" x 5 1/2"	•	•	•
9778	5/4 x 8	1" x 7 1/4"	•	•	•
9779	5/4 x 10	1" x 9 1/4"	•	•	•
9780	5/4 x 12	1" x 11 1/4"	•	•	•
9781	5/4 x 16	1" x 15 1/4"	•	•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •




SurEdge Trimboard

SurEdge Trimboard 5/8"

Profile	Nominal Description	Actual Size	Length 18'
9759	5/8 x 4	5/8" x 3 1/2"	●
9760	5/8 x 6	5/8" x 5 1/2"	●
9761	5/8 x 8	5/8" x 7 1/4"	●
9762	5/8 x 10	5/8" x 9 1/4"	●
9763	5/8 x 12	5/8" x 11 1/4"	●
9764	5/8 x 16	5/8" x 15 1/4"	●
9767	1 x 4	3/4" x 3 1/2"	●
9769	1 x 6	3/4" x 5 1/2"	●
9770	1 x 8	3/4" x 7 1/4"	●
9771	1 x 10	3/4" x 9 1/4"	●
9772	1 x 12	3/4" x 11 1/4"	●
9773	1 x 16	3/4" x 15 1/4"	●
9775	5/4 x 4	1" x 3 1/2"	●
9777	5/4 x 6	1" x 5 1/2"	●
9779	5/4 x 8	1" x 7 1/4"	●
9780	5/4 x 10	1" x 9 1/4"	●
9781	5/4 x 12	1" x 11 1/4"	●

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Available in Sand Dune, Harbor Gray, and Tuscan Tan. Contact Customer Service for availability.



Prefinished Trimboard


Prefinished Trimboard 5/8"

Profile	Nominal Description	Actual Size	Length 16'
9759	5/8 x 4	5/8" x 3 1/2"	●
9760	5/8 x 6	5/8" x 5 1/2"	●
9761	5/8 x 8	5/8" x 7 1/4"	●
9762	5/8 x 10	5/8" x 9 1/4"	●
9763	5/8 x 12	5/8" x 11 1/4"	●




Prefinished Trimboard 1"

Profile	Nominal Description	Actual Size	Length 16'
9767	1 x 4	3/4" x 3 1/2"	●
9769	1 x 6	3/4" x 5 1/2"	●
9770	1 x 8	3/4" x 7 1/4"	●
9771	1 x 10	3/4" x 9 1/4"	●
9772	1 x 12	3/4" x 11 1/4"	●



Prefinished Trimboard 5/4"

Profile	Nominal Description	Actual Size	Length 16'
9775	5/4 x 4	1" x 3 1/2"	●
9777	5/4 x 6	1" x 5 1/2"	●
9778	5/4 x 8	1" x 7 1/4"	●
9779	5/4 x 10	1" x 9 1/4"	●
9780	5/4 x 12	1" x 11 1/4"	●



* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Conceal Trim System

Conceal Outside Corners - Smooth or Woodgrain

Profile	Description	Actual Size	1" Pocket	Length 10' 20'
9718	1 x 6 Traditional	5 5/8" x 5 5/8"		● ●
7971	5/4 x 4 Traditional	3 11/16" x 3 11/16"		● ●
7973	5/4 x 6 Traditional	5 11/16" x 5 11/16"		● ●
7972	5/4 x 4 Rabbeted	3 11/16" x 3 11/16"	●	● ●
7970	5/4 x 6 Rabbeted	5 11/16" x 5 11/16"	●	●


Conceal J-Channel Trim & Window Surrounds - Smooth or Woodgrain

Profile	Description	Actual Size	1" Pocket	Length 18'
9706	5/4 x 4 Rabbeted	1" x 3 1/2"	●	●
7994	5/4 x 6 Rabbeted	1" x 5 1/2"	●	●
9707	5/4 x 8 Rabbeted	1" x 7 1/4"	●	●
9914	5/4 x 10 Rabbeted	1" x 10 1/4"	●	●
9794	5/4 x 4 New Construction Surround	1" x 3 1/2"	●	●
9795	5/4 x 6 New Construction Surround	1" x 5 1/2"	●	●
9800	5/4 x 4 New Construction Surround	1" x 3 1/2"		●
9801	5/4 x 6 New Construction Surround	1" x 5 1/2"		●
9816	1 x 4 New Construction Surround	3/4" x 3 1/2"		●
9817	1 x 5 New Construction Surround	3/4" x 4 1/2"		●
9818	1 x 6 New Construction Surround	3/4" x 5 1/2"		●





* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Conceal Trim System

Conceal Outside Corners



Conceal Trim



Conceal Trim System

Conceal Skirt Boards & Water Tables - Smooth or Woodgrain

Profile	Description	Actual Size	Length
9703	1 x 6 Skirt Board	3/4" x 5 1/2"	18' ●
9704	1 x 8 Skirt Board	3/4" x 7 1/4"	●
9705	1 x 10 Skirt Board	3/4" x 9 1/4"	●
9700	5/4 x 4 Skirt Board	1" x 3 1/2"	●
7993	5/4 x 6 Skirt Board	1" x 5 1/2"	●
9701	5/4 x 8 Skirt Board	1" x 7 1/4"	●

Conceal Water Tables - Smooth

Profile	Description	Actual Size	Length
9796	Standard Water Table	1 5/8" x 2 9/16" - 14° Slope, Smooth Only	16' ●
9719	Stone Water Table	3 1/8" x 3 3/4" - 14° Slope, Smooth Only	●
9953V	V-Stone Water Table**	2 3/4" x 2 1/2"	●

Conceal T-Moulds - Smooth or Woodgrain

Profile	Description	Actual Size	1" Pocket	Length
9833	5/8 x 4 T-Mould	5/8" x 3 1/2"		18' ●
9835	5/4 x 4 T-Mould	1" x 3 1/2"	●	●
9831	5/4 x 6 T-Mould	1" x 5 1/2"	●	●
9832	5/4 x 8 T-Mould	1" x 7 1/4"	●	●
			●	●

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●


** Available in select colors, contact Customer Service for details.

Conceal Trim System


Conceal Skirt Boards & Water Tables



Conceal Water Tables



Conceal T-Moulds




Precision Cut Trimboard

Precision Cut Trimboard 3/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length						
			8'	9'	10'	12'	14'	16'	18'
2920	3/8 x 3	3/8" x 2 1/2"					•		
2979	3/8 x 2 3/4	3/8" x 2 3/4"							•
2880	3/8 x 4	3/8" x 3 1/2"	•		•	•		•	•
2975	3/8 x 3 3/4	3/8" x 3 3/4"							•
2990	3/8 x 5	3/8" x 5"						•	
3068	3/8 x 5 3/8	3/8" x 5 3/8"							•
2881	3/8 x 6	3/8" x 5 1/2"	•			•			•
2882	3/8 x 8	3/8" x 7 1/4"			•				•
2884	3/8 x 10	3/8" x 9 1/4"		•	•	•			•
2885	3/8 x 12	3/8" x 11 1/4"		•	•	•			
3009	3/8 x 12	3/8" x 12"	•						

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •


Custom Sizes Available



Reversible



Multiple Thicknesses



Multiple Widths

Precision Cut Trimboard

Precision Cut Trimboard 1/2" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length						
			8'	9'	10'	12'	14'	16'	20'
2873	1/2 x 4	1/2" x 3 1/2"				•	•	•	•
2874	1/2 x 6	1/2" x 5 1/2"		•		•			•
2875	1/2 x 8	1/2" x 7 1/4"	•		•	•			•
2876	1/2 x 10	1/2" x 9 1/4"				•	•		
2877	1/2 x 12	1/2" x 11 1/4"				•	•		
3078	1/2 x 14	1/2" x 14"					•		
2936	1/2 x 16	1/2" x 16"				•			

Precision Cut Trimboard 5/8" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length			
			8'	10'	12'	18'
3018	5/8 x 3	5/8" x 2 1/2"				•
2832	5/8 x 4	5/8" x 3 1/2"	•	•	•	•
2904	5/8 x 5	5/8" x 4 1/2"				•
2833	5/8 x 6	5/8" x 5 1/2"	•	•	•	•
2906	5/8 x 7	5/8" x 6 1/2"				•
2834	5/8 x 8	5/8" x 7 1/4"	•		•	•
2835	5/8 x 10	5/8" x 9 1/4"	•		•	•
2836	5/8 x 12	5/8" x 11 1/4"	•	•	•	•
2919	5/8 x 16	5/8" x 15 1/4"				•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Custom Sizes Available

Precision Cut Trimboard

Precision Cut Trimboard 4/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length							
			7'	8'	10'	12'	14'	18'	20'	
2825	1 x 2	3/4" x 1 1/2"		•		•				
2898	1 x 3	3/4" x 2 1/2"							•	
2826	1 x 4	3/4" x 3 1/2"		•		•			•	•
2899	1 x 5	3/4" x 4 1/2"							•	•
2827	1 x 6	3/4" x 5 1/2"	•	•	•	•			•	•
2828	1 x 8	3/4" x 7 1/4"		•		•			•	
2829	1 x 10	3/4" x 9 1/4"		•		•	•	•	•	•
2830	1 x 12	3/4" x 11 1/4"				•			•	•
3004	1 x 16	3/4" x 15 1/4"							•	•
2912	1 x 16	3/4" x 15 1/2"							•	
2951	1 x 18	3/4" x 18"							•	

Precision Cut Trimboard 5/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length			
			10'	12'	18'	20'
2866	5/4 x 4	1" x 3 1/2"		•	•	•
2901	5/4 x 5	1" x 4 1/2"			•	•
2965	5/4 x 4 5/8	1" x 4 5/8"		•		
2867	5/4 x 6	1" x 5 1/2"	•	•	•	•
2868	5/4 x 8	1" x 7 1/4"			•	•
2869	5/4 x 10	1" x 9 1/4"			•	•
2870	5/4 x 12	1" x 11 1/4"			•	•
3003	5/4 x 16	1" x 15 1/4"				•
2913	5/4 x 15 1/2	1" x 15 1/2"			•	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Custom Sizes Available

Precision Cut Trimboard

Precision Cut Trimboard 6/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length				
			8'	10'	12'	18'	20'
9747	6/4 x 4	1 1/4" x 3 1/2"	•	•	•	•	•
9748	6/4 x 6	1 1/4" x 5 1/2"	•	•	•	•	•
9749	6/4 x 8	1 1/4" x 7 1/4"	•	•	•	•	•
9750	6/4 x 10	1 1/4" x 9 1/4"	•	•	•	•	•
9751	6/4 x 12	1 1/4" x 11 1/4"	•	•	•	•	•
9799	6/4 x 16	1 1/4" x 15 1/4"	•	•	•	•	•

Precision Cut Trimboard 8/4" Smooth & Smooth/Woodgrain Reversible

Profile	Nominal Description	Actual Size	Length
			18'
9753	8/4 x 4	1 1/2" x 3 1/2"	•
9754	8/4 x 6	1 1/2" x 5 1/2"	•
9755	8/4 x 8	1 1/2" x 7 1/4"	•
9756	8/4 x 10	1 1/2" x 9 1/4"	•
9757	8/4 x 12	1 1/2" x 11 1/4"	•

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Custom Sizes Available

Sheet Board

Sheet Board White

Profile	Actual Size	Length									
		8'	9'	10'	12'	14'	16'	18'	20'	24'	
9912	1/4 x 4'	•		•	•						
2878	3/8 x 4'	•	•	•	•	•		•	•		
2871	1/2 x 4'	•	•	•	•	•	•	•	•		
2838	5/8 x 4'	•	•	•	•	•	•	•	•	•	
2837	3/4 x 4'	•		•	•	•		•	•		
2864	1 x 4'	•		•	•	•	•	•	•	•	
9752	1 1/4 x 4'	•		•	•			•	•		
9758	1 1/2 x 4'	•		•	•			•			

Sheet Board Sand Dune - Color Through



Profile	Nominal Description	Actual Size	Length		
			8'	10'	18'
2837	3/4 x 48 Sheet Board	3/4" x 48"	•		
2838	5/8 x 48 Sheet Board	5/8" x 48"	•	•	•
2878	3/8 x 48 Sheet Board	3/8" x 48"	•		•

Sheet Board Harbor Gray - Color Through

Profile	Nominal Description	Actual Size	Length		
			8'	10'	18'
2837	3/4 x 48 Sheet Board	3/4" x 48"	•	•	•
2838	5/8 x 48 Sheet Board	5/8" x 48"			•
2864	5/4 x 48 Sheet Board	5/4" x 48"	•		•
2878	3/8 x 48 Sheet Board	3/8" x 48"	•	•	•

Sheet Board Tuscan Tan - Color Through

Profile	Nominal Description	Actual Size	Length		
			8'	10'	18'
2878	3/8 x 48 Sheet Board	3/8" x 48"	•	•	•



* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •





Available in Smooth/Woodgrain Reversible. Contact Customer Service for availability

Nickel Gap Shiplap, Beadboard & Wainscoting

Nickel Gap/Shiplap, Beadboard & Wainscoting

Profile	Description	Dimensions	Length									
			7'	8'	9'	10'	12'	14'	16'	18'	20'	
2352	5 1/2" Bead Board – One Sided Only	3/8" x 5 1/2"		●				●		●		
9734	6" Bead Board – Reversible	1/2" x 5 3/4"		●		●	●		●		●	
9735	6" Bead Board Hi Heat – Reversible	1/2" x 5 3/4"								●		●
9913	6" Bead Board	3/4" x 5 3/4"										●
9830	6" Nickel Gap Shiplap – Reversible	5/8" x 5 1/2"				●	●	●				●
9834	8" Nickel Gap Shiplap – Reversible	5/8" x 7 1/8"				●	●	●				●
2764	Wainscot Cap	3/4" x 1 3/4" w/ 1/2" Rabbet	●	●								
2566	Wainscot Cap	1 x 3 w/ 7/16" Rabbet		●								
9952	Reversible Nickel Gap/V Grooved Plank	3/4" x 5 1/2"								●		●
9982	Craftsman Wainscot Cap	1 1/8" x 2 1/2"		●								
9990	RBP4 1x6 Tongue & Groove Plank	3/4" x 5 1/2"					●	●	●	●	●	●

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●



Column Wraps

Profile	Description	Inside Dimension	Outside Dimension	Length/Height		
				8' 6"	10'	12'
9807	4 X 4 Column Wrap	3 3/4" x 3 3/4"	4 3/4" x 4 3/4"	●	●	●
9811	6 X 6 Column Wrap	5 3/4" x 5 3/4"	6 3/4" x 6 3/4"	●	●	●
9815	8 X 8 Column Wrap	8 1/2" x 8 1/2"	9 1/2" x 9 1/2"	●	●	●
9829	12 X 12 Column Wrap	10 1/4" x 10 1/4"	11 1/4" x 11 1/4"	●	●	●
9854	4 X 4 Contractor Cap/Base Set	4 7/8"	6 1/8"	5 1/2"		
9850	4 X 4 Traditional Cap/Base Set	4 7/8"	6 1/8"	6 5/8"		
9858	4 X 4 Craftsman Cap/Base Set	4 7/8"	6 1/8"	5 3/4"		
9855	6 X 6 Contractor Cap/Base Set	5 7/8"	8 1/8"	6 1/2"		
9851	6 X 6 Traditional Cap/Base Set	5 7/8"	8 1/8"	7 5/8"		
9859	6 X 6 Craftsman Cap/Base Set	5 7/8"	8 1/8"	6 3/4"		
9856	8 X 8 Contractor Cap/Base Set	9 5/8"	10 7/8"	7 1/2"		
9852	8 X 8 Traditional Cap/Base Set	9 5/8"	10 7/8"	8 5/8"		
9860	8 X 8 Craftsman Cap/Base Set	9 5/8"	10 7/8"	7 3/4"		
9857	12 X 12 Contractor Cap/Base Set	11 3/8"	12 5/8"	7 1/2"		
9853	12 X 12 Traditional Cap/Base Set	11 3/8"	12 5/8"	8 5/8"		
9861	12 X 12 Craftsman Cap/Base Set	11 3/8"	12 5/8"	7 3/4"		

Available Colors:






NEW: White columns also available in Woodgrain Texture.



* See Appendix for Pack Sizes and Weights.
See Table of Contents for explanation of ● & ●

Column Wraps



Contractor Series



Traditional Series



Craftsman Series



Column Wraps

Tapered Column Wrap

Profile	Description	Inside Dimension	Outside Dimension	Length/Height
9959	10 X 6 Tapered Column Wrap 5'	8 7/8" x 4 7/8"	9 7/8" x 5 7/8"	4' 11 3/8"
9959	10 X 6 Tapered Column Wrap 6'	8 7/8" x 4 7/8"	9 7/8" x 5 7/8"	5' 11 3/8"
9963	12 X 8 Tapered Column Wrap 5'	10 7/8" x 6 7/8"	11 7/8" x 7 7/8"	4' 11 3/8"
9963	12 X 8 Tapered Column Wrap 6'	10 7/8" x 6 7/8"	11 7/8" x 7 7/8"	5' 11 3/8"
9967	16 X 12 Tapered Column Wrap 5'	14 7/8" x 10 7/8"	15 7/8" x 11 7/8"	4' 11 3/8"
9967	16 X 12 Tapered Column Wrap 5'	14 7/8" x 10 7/8"	15 7/8" x 11 7/8"	5' 11 3/8"

Tapered Cap/Base

Profile	Description	Cap Dimension	Base Dimension
9984	10 x 6 Tapered Cap/Base Traditional	9 1/16" x 5 7/8"	12 15/16" x 9 7/8"
9985	12 x 8 Tapered Cap/Base Traditional	11 1/16" x 7 7/8"	14 15/16" x 11 7/8"
9986	16 x 12 Tapered Cap/Base Traditional	15 1/16" x 11 7/8"	18 1/16" x 15 7/8"
9987	10 x 6 Tapered Cap/Base Craftsman	8 1/2" x 5 7/8"	12 7/16" x 9 7/8"
9988	12 x 8 Tapered Cap/Base Craftsman	10 1/2" x 7 7/8"	14 7/16" x 11 7/8"
9989	16 x 12 Tapered Cap/Base Craftsman	14 1/2" x 11 7/8"	18 7/16" x 15 7/8"



Available Colors:





NEW: White columns also available in Woodgrain Texture.

* See Appendix for Pack Sizes and Weights.
See Table of Contents for explanation of • & •

Tapered Traditional Series



Tapered Craftsman Series



Garage Door Trim

Uniflex™ Garage Door ThermoStop® & Mouldings

Profile	Description	Dimensions	Length									
			7'	8'	9'	10'	12'	14'	16'	17'	18'	
2149	2" Standard Uniflex	7/16" x 2"	•	•	•	•	•	•	•			•
3029	2 5/8" Retro Fit Uniflex	7/16" x 2 5/8"							•	•		•
2591	3 1/4" Architectural Uniflex	7/16" x 3 1/4"							•	•		•
2448*	2" Brickmould RM 180	1 1/4" x 2"	•	•	•	•			•	•	•	•
9841*	7 1/2" Garage Door Trim	3/8" x 7 1/2"			•					•		

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Available in Woodgrain Emboss

Garage Door ThermoStop® Top Colors




We frequently update our ThermoStop® palette to match the latest color trends. Here is a sampling of our most popular colors.



*Contact Customer Service for Color Availability

Garage Door Trim

Uniflex™ Garage Door ThermoStop® & Mouldings



Window & Door Trim

Brickmould & J Channel



Profile	Description	Dimensions
2448	RM 180 Brick Mould	1 1/4" x 2"
7351	RM 180 J Channel Brick Mould	1 1/4" x 2"; 7/8" Pocket
7360	Screen Groove Brick Mould	1 1/4" x 2"
7371	Brick Mould w/Nail Fin	1 1/4" x 2"; 1" Nail Fin
2622	West Coast Brick Mould	7/8" x 1 1/4"
7252	Florida Brick Mould	3/4" x 1 5/8"
7216	Williamsburg Brick Mould	1 1/4" x 3 1/4"
7467	5/4 x 4 J-Channel Casing	1 1/8" x 3 1/2"
7651	5/4 x 6 J-Channel Casing	1 1/8" x 5 1/2"

Profile	Length										
	7'	8'	9'	10'	12'	14'	16'	17'	17'6"	18'	
2448	•	•	•	•		•	•	•	•	•	
7351	•	•		•	•	•		•		•	
7360						•					
7371	•				•			•		•	
2622	•							•	•		
7252	•	•		•				•	•		
7216						•	•	•		•	
7467		•		•	•		•			•	
7651					•		•				

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Window & Door Trim

Brickmould & J Channel



Mouldings

Sill & Sill Noses, Transom & Jamb Extensions



Profile	Description	Dimensions	Length						
			7'	10'	12'	14'	16'	17'	18'
7117	Sill	1 1/4" x 4 9/16" - 14°	●		●	●	●	●	
7717	Sill Nose	1 3/16" x 2" - 14°			●		●		
7640	Sill Nose	2 1/4" x 2 3/4" - 14°					●		
2345	Sill Nose	1 1/2" x 1 5/8" - 16°		●	●		●		●
7118	Sill Nose	1 3/8" x 1 5/16" - 14°	●		●	●	●	●	
7435	Sill Nose	1 3/4" x 2 3/8" - 14°			●				●
7631	Sill Nose	1 3/4" x 2" - 14°				●	●		
2496	Sill Nose	1 1/2" x 1 3/8" - 14°			●				
7213	Transom Sill	1 1/4" x 4 9/16" - 16°		●	●		●		
7806	Transom Sill	1 1/4" x 6 9/16" - 6°			●				
2388	Louver Sill	1 1/4" x 3 1/2" - 12°							●
2915	Louver Slat	3/4" x 3 1/2"							●

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Ask about our custom cut-to-length, mitering and fabrication.

Mouldings

Sill & Sill Noses, Transom & Jamb Extensions



Mouldings

Door Jambs, Transom & Jamb Extensions










Profile	Description	Dimensions	Length							
			7'	8'	10'	12'	14'	16'	17'	18'
7181	4 9/16" Entry Door Jamb	1 1/4" x 4 9/16"	●		●		●		●	
7251	5 1/4" Entry Door Jamb	1 1/4" x 5 1/4"			●				●	
7241	6 9/16" Entry Door Jamb	1 1/4" x 6 9/16"	●		●		●		●	
7193	Astragal	1 1/2" x 3 1/4"	●	●			●			
7155	Astragal	1 5/8" x 3 1/4" CTL								
2430	Horizontal Mull	1" x 1 3/8"				●	●	●		
2424	Mull Casing	1" x 1 3/8"	●	●		●	●	●	●	
7464	Transom Sash	1 3/8" x 2 1/2"						●		
7623	Top Rail Sash	1 3/8" x 2"				●	●	●		
7160	Jamb Extender	5/8" x 2 13/16"			●		●	●		
7417	Jamb Extender	5/8" x 4 5/16"								●
7159	Jamb Extender	5/8" x 4 13/16"						●		
7205	Jamb Extender	11/16" x 2 9/16"				●				
7206	Jamb Extender	11/16" x 4 9/16"				●				
2497*	5 7/8" Flat Jamb	11/16" x 5 7/8"	●		●			●		
2709*	5 7/8" Flat Utility Trim	5/16" x 5 7/8"		●				●		
9841	SurEdge	3/8" x 7 1/2"			●			●		●

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Ask about our custom cut-to-length, mitering and fabrication.

Mouldings

Door Jambs, Transom & Jamb Extensions



Mouldings



Quarter Rounds, Cove & Stops

Profile	Description	Dimensions	Length								
			7'	8'	9'	10'	12'	14'	16'	18'	
2024	Quarter Round RM 108	1/2" x 1/2"		●				●		●	
5111	Quarter Round RM 107	5/8" x 5/8"		●				●			
2689	Quarter Round RM 105	3/4" x 3/4"		●		●		●		●	
2258	Bead Mould	3/8" x 1/2"	●	●	●						
2021	Scotia Cove RM 93	3/4" x 3/4"		●			●	●	●	●	●
2046	Shoe Mould	5/16" x 3/4"		●			●	●		●	
2141	Shoe Mould/Scribe	1/2" x 1 1/8"					●				
2803	Shoe Mould	1/4" x 1/2"	●	●	●						
2329	Stop	5/8" x 1 3/4"									●
2330	Stop	5/8" x 5/8"		●				●	●		●
2349	Stop	9/16" x 1 1/4"							●		
2357	Stop	3/4" x 1 1/8"							●	●	
9995	Cap	1/2" x 1 1/8"		●							

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Mouldings

Quarter Rounds, Cove & Stops



Mouldings




Decorative Trim

Profile	Description	Dimensions	Length							
			7'	8'	9'	10'	12'	14'	16'	
2850	Parting Bead	1/4" x 7/8"		•				•		
2851	Parting Bead	1/4" x 1 1/8"		•				•		
7788	Colonial Stop RM 947	3/8" x 1 1/4"	•	•		•		•		
7719	Outside Corner RM 205	1 1/8" x 1 1/8"		•	•			•		•
5165	Outside Corner 1565	7/8" x 7/8"		•						
6577	Outside Corner RM 206	1 1/16" x 1 1/16"		•						
2450	Base Cap RM 164	1 1/16" x 1 1/8"		•				•		•
9785	Base Cap RM 166	1 1/16" x 1 1/8"								•
2759	Deco Trim	1/2" x 1"		•		•				•
2363	Screen Trim	3/4" x 1"		•				•	•	
2018	Lattice	1/4" x 1 9/16"	•	•				•		•
6510	Lattice	1/4" x 1 3/4"	•							
9732	Finish Trim	1 25/32" x 1 7/64"						•		

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Mouldings

Decorative Trim



Mouldings

Drip Caps, Back Bands & Panel Mould

Profile	Description	Dimensions	Length			
			8'	12'	16'	18'
2598	Bed Mould RM 75	9/16" x 1 9/16"	●	●	●	
2449	1 5/8" Drip Cap RM 197	1 1/16" x 1 5/8"	●	●	●	
2791	2" Drip Cap RM 187	1 1/16" x 2"				●
7152	Back Band 3/4" Relief RM 124	1 3/8" x 1 7/16"	●	●	●	
7709	Back Band 5/8" Relief RM 407	1 1/4" x 1 7/16"				●
7710	Back Band 1" Relief RM 413	1 5/8" x 1 7/16"				●
7901	Shingle Band Mould RM 217	1 1/16" x 1 3/4"	●			●
7937	Shingle Band Mould RM 3045	1 3/8" x 2 3/4"				●
7202	Rake Mould RM 287	1" x 2"	●	●	●	
2599	Shingle Mould RM 210	1 1/16" x 1 5/8"	●	●	●	
7714	Pediment	2" x 2 7/8"	●	●	●	
9724	Decorative Mull Cap	1 1/16" x 1 3/4"				●



Rail & Balusters

Profile	Description	Dimensions	Length					
			6'	8'	10'	12'	14'	16'
2536	Baluster	1 1/4" x 1 1/4"			●		●	●
2542	Baluster	1 1/2" x 1 1/2"		●	●	●		●
2535	Top Rail	1 1/2" x 3 5/16"	●	●	●	●		●
2537	Bottom Rail	1 3/4" x 3 9/16"	●	●	●	●		●



* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Mouldings

Drip Caps, Back Bands & Panel Mould



Rail & Balusters



Mouldings

Crown Moulding Traditional Crowns

Profile	Description	Dimensions	Projection	Spring Angle	Length		
					8'	12'	16'
2853	3" Crown - RM 53	9/16" x 2 3/4"	1.539	38°			●
2435	4" Crown - RM49	9/16" x 3 5/8"	2.062	38°	●	●	●
7541	4 1/2" Crown - RM 48	11/16" x 4 1/4"	2.5	52°			●
2592	5" Crown - RM 47	11/16" x 4 5/8"	2.784	38°	●	●	●
7491	6" Crown - RM 45	9/16" x 5 1/4"	3.187	52°			●
7662	8" Crown	1" x 8"	5.625	45°			●
9824	8" Crown	1" x 7 1/2"	5.156	45°	●	●	●
7661	6" Crown	45/64" x 6"	4.375	45°			●
9876	Crown 54	9/16" x 2 1/4"	1.313		●		
9881	Crown 51	9/16" x 3 1/4"	1.938		●		




Crown Moulding Traditional Crowns

Profile	Description	Dimensions	Projection	Spring Angle	Length		
					8'	12'	16'
7158	Rams Crown	1 3/8" x 2 1/16"	1.375	—	●	●	●
7960	One Piece Crown	2 3/4" x 3 1/2"	2.75	45°		●	●
7712	Deco Crown	1 1/2" x 1 7/8"	1.5	45°	●		●
7714	Pediment	2" x 2 7/8"	2	—			●

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Mouldings

Crown Moulding



Mouldings





Casing

Profile	Description	Dimensions	Length								
			7'	8'	9'	12'	14'	16'	17'	18'	19.5'
2590	Back Band Casing 4 1/2"	1 3/16" x 4 1/2"		●	●	●	●	●	●	●	
7255	Bendable Back Band Casing 4 1/2"	1 3/16" x 4 1/2"							●		
2852	New Adams Casing 3 1/2"	1" x 3 1/2"							●		●
7216	Williamsburg Casing 3 1/4"	1 1/4" x 3 1/4"				●	●	●	●	●	●
7884	Williamsburg Casing Bendable	1 1/4" x 3 1/4"					●				●
2369	RB3 Casing 3 1/2" RM 523	1" x 3 1/2"		●					●		● ●
5445	Colonial Casing 2 1/4" LRM 356	5/8" x 2 1/4"	●								
2342	Casing 2 1/4" RM 376	1 1/16" x 2 1/4"							●		
2355	Colonial Casing 2 1/4" RM 356	1 1/16" x 2 1/4"		●		●	●	●			
2991	Bendable Casing 2 1/4" RM 356	1 1/16" x 2 1/4"						●	●		
2331	Ranch Casing 2 1/4" RM 329	1 1/16" x 2 1/4"			●		●				
5913	Ranch Casing 2 1/4" RM 328	9/16" x 2 1/4"	●					●			
2440	Casing 2 1/2" RM 351 Bendable	1 1/16" x 2 1/2"			●			●	●		
2343	Colonial Casing 3 1/4" RM 445	5/8" x 3 1/4"		●					●		●
7939	Colonial Bendable Casing RM 445	5/8" x 3 1/4"									●
2746	Bendable Casing 3 1/2" RM 444	5/8" x 3 1/2"		●						●	
7263	Bendable Casing 3 1/2"	1 1/16" x 3 1/2"							●	●	
2716	Bendable Casing 3 1/2"	5/8" x 3 1/2"									●

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●

Mouldings

Casing



Mouldings






Craftsman Trim

Profile	Description	Dimensions	Length			
			7'	8'	10'	12'
2021	Scotia Cove	3/4" x 3/4"		•	•	•
2363	Stop	3/4" x 1"		•	•	
9870	Bifold Stop	1 1/16" x 1 5/8"	•			
9883	Craftsman Casing 2 1/4" E2E	9/16" x 2 1/4"	•			
9877	Craftsman Casing 3 1/4" E2E	9/16" x 3 1/4"	•			
9871	Craftsman Base 3 1/4" E2E	1/2" x 3 1/4"		•	•	
9888	Stop/Screen Mold 3/4"	3/8" x 3/4"		•		
9971	Craftsman Trim Top 1 1/2"	3/8" x 1 1/2"		•		
9972	Craftsman S4S Trim Base 3 1/4"	9/16" x 3 1/4"		•	•	
9973	Craftsman S4S Trim Base 4 1/4"	9/16" x 4 1/4"		•	•	
9974	Craftsman S4S Trim Base 5 1/4"	9/16" x 5 1/4"		•	•	
9975	Craftsman S4S Trim Casing 2 1/4"	1 1/16" x 2 1/4"	•			
9976	Craftsman S4S Trim Casing 3 1/4"	1 1/16" x 3 1/4"	•			
9977	Craftsman S4S Trim Casing 5 1/4"	1 1/16" x 5 1/4"	•			
9978	Craftsman Trim Window Stool 5 1/4"	1 1/16" x 5 1/4"	•	•		
9994	Craftsman S4S Trim Base 4 1/4" RM 430	7/16" x 4 1/4"	•	•		
9995	Wainscot Cap	1/2" x 1 1/8"	•			
9996	Trim Strip	1/4" x 1 1/16"	•			

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of • & •

Mouldings

Casing





Mouldings

Base & Chair Rail

Profile	Description	Dimensions	Length		
			8'	12'	16'
5106	Ranch Base 2 1/2"	7/16" x 2 1/2"	●		
6761	Base/Casing Combo 2 3/4"	1/2" x 2 3/4"	●		
5523	Colonial Base 3 1/4" LRM 623	7/16" x 3 1/4"	●		
7527	Base RM 623 3 1/4" RM 623	9/16" x 3 1/4"	●	●	●
7861	Heirloom Base 5" Embossed	9/16" x 5"	●		
6610	Royal Base 5"	9/16" x 5"			●
9789	Column Wrap Base 8 7/16"	5/8" x 8 7/16"	●	●	●
5390	Chair Rail 2 5/8" RM 390	11/16" x 2 5/8"	●		

* See Appendix for Pack Sizes and Weights. See Table of Contents for explanation of ● & ●



1. Do you have installation instruction videos?

We have many installation videos on YouTube. Please follow the link below:
<https://www.youtube.com/user/RoyalBuildingProduct>

2. Can you use interior mouldings outside?

The only PVC interior mouldings that can't be used outdoors are the decorative woodgrain non-vinyl laminated interior mouldings. All other cellular and vinyl wrapped PVC products can be used for interior and exterior applications.

3. What colors are available?

Our exterior trim & mouldings are available in white. We recently introduce 3 new colors, Sand Dune, Tuscan Tan and Harbor Gray. Please contact a customer service representative for further details. Our garage door products come in several Colors from white to hunter green*. A full list is available from your customer service representative

Brick Mould and Jambs are available in White, Almond, Sandstone, Chocolate Brown, Sand Dune & Tuscan Tan.

4. What lengths do your trim & mouldings come in?

Exterior trim & mouldings are available in 7' to 20' lengths. Interior mouldings are typically 7' to 12' lengths.

5. Can you install the mouldings around the shower or bathtub?

Yes. Our mouldings are water proof and do not promote the growth of mold or mildew.

6. Can you attach a screen door to a PVC door frame?

Yes, follow the manufacturer's recommendations.

7. Does cellular PVC trim require special code approval?

Typically, no special codes are required – always check with building codes.

8. Can PVC be used as a structural component such as framing?

PVC cannot be used as a structural product in load bearing applications. PVC boards must always be supported by wood or other structural materials.

9. Can you install PVC at or below surface grade?

Our product is perfect for ground contact application and below grade installation requirements.

10. How do I clean and remove scratches?

If the scratches are not too deep, you can use Windex and Mr. Clean MAGIC ERASER, (or Scotch-Brite® Non-Scratch Scrub Sponge). Apply the cleaner. Use the eraser or sponge, and rub in circular and up and down motions, until scratches are buffed out. This takes some time, depending on the severity of the scratches. You can also use Turtle Wax® Rubbing Compound to remove surface scratches. Clean the product after buffing the out the scratches.

There are many cleaners on the market that will work for cleaning PVC:

- Windex®
- 409 Glass and Surface Cleaner®
- Fantastik All-Purpose®
- Clorox Clea-Up®
- M1 House Wash®
- LA's Totally Awesome® All-Purpose Cleaner

CUTTING & MILLING

11. How do I remove an Ink Jet UPC Label?

Use acetone or finger nail polish remover. Follow the manufacturer's instructions. Be sure to use gloves and eye protection and use the cleaner sparingly and quickly in the area that needs attention to remove the ink jet UPC.

12. How do I remove a product description paper label?

1. De-Solv-it Citrus Solution is an excellent cleaner for removing stubborn stickers. Follow the manufacturer's instructions.
2. Turtle Wax Label and Sticker Remover is another excellent cleaner for removing stubborn stickers. Follow the manufacturer's instructions.
3. If none of these options are available:
 - a. Soak the product with a typical surface cleaner (409 or similar degreaser)
 - b. Use a plastic putty knife to gently scrape off the sticker.
 - c. Use rubbing alcohol to remove the remaining residue. This will take some effort.

FAQs

13. How should I cut the trim and mouldings?

Royal Trim & Mouldings should be cut with a carbide tip blade with 80 teeth or more. It is important to make the cuts quickly. We also have found that you can lightly spray the blade with cooking spray or furniture polish as a lubricant to avoid excessive build up on the blade. *NOTE: Do not spray the mouldings as this will affect paint adhesion.*

14. What type of routing or milling bits should I use?

Use standard woodworking carbide-tipped router bits. Secure the trim to a bench or table when routing to minimize "chatter". Once the routing is complete, the cut can be smoothed using 220-320 grit sandpaper. This will help seal the cut edge and make it more resistant to dirt. After routing, to seal the exposed cells you can paint the exposed area with a high quality 100% acrylic latex paint

15. What do you recommend for ripping boards or sheet stock?

Safety First – Please follow manufacturer's instructions on safe operation of saws and other milling or routing tools. Use a good, sharp carbide tipped saw blade. Make sure the product is secure while ripping. After ripping or milling or to seal the exposed cells on precision cut trim boards, you can:

a. Sand the exposed cells with 320 grit sand paper and then wipe them with solvent like acetone (must follow solvent manufacturer's safety instructions). Just wiping the exposed area with a solvent will not completely seal the edges, but solvents do tend to soften or melt the cells, helping to seal them from debris.

b. Paint the exposed area with a high quality 100% acrylic latex trim paint

FASTENING & JOINING

16. How do I manage expansion and contraction of PVC trim mouldings?

PVC expands and contracts many times greater than wood

The main consideration is to plan for lengthwise expansion and contraction in boards longer than 12 feet. If not accounted for, PVC trim can buckle or develop unsightly gaps. The key element is to choose the right joints to fasten in place while allowing other joints to move. The movement can be concealed with a shiplap joint or by leaving space for the board to expand behind a butt joint or a feature board.

If there will be an outside miter or a fastened joint at both ends of a trim run that is 12 feet or longer, use two boards connected with a shiplap joint to allow the boards to move without exposing the material underneath the joint.

For outside corners, cement and mechanically fasten mitered outside corners together to keep them from opening up as the boards move.

For inside corners you can use butt joints to hide movement, but you must leave a gap at the end of the longer piece.

To use scarf joints, you must allow for movement in the run. PVC trim boards can be cemented together at the joint and the boards will move as one. Allow for movement with a shiplap.

On longer runs, to account for movement, the more the trim is fastened and bonded, the less it will move. Also, you must double fasten on both sides of "pinned" joints.

In temperatures above 80°F, the board joints should be tight.

In temperatures of 40°F to 60°F, leave 1/8 inch of space.

And when it's less than 40°F degrees outside, provide for 3/16 inch between boards.

Fastening Schedule Minimum 16" on Center

Board Width	Fasteners
4" to 6"	2
8" to 10"	2 to 3
12" to 14"	3 to 4
16" to 18"	4 to 5
20" to 22"	5 to 6
24" to 26"	7 to 8

For Sheet Fastening

Max 16" on center horizontally

Max 12" on center vertically

Minimum every 16" around perimeter of sheet

17. Do you have to predrill before nailing?

If nailing product at 40°F or below, predrilling is required.

18. How do you fasten trim & mouldings?

There are several manufacturers that produce fasteners specifically intended for use with cellular PVC. (See list below). You can also use fasteners designed for wood trim. They should have thin shanks, blunt points and full round heads. Fasteners should penetrate 1½" into substrate. Fasteners should be positioned no less than ¾" or more than 2" from end of boards. Fasteners must be weather resistant, such as stainless steel. For interior trim, such as casing, base, quarter round and crown, use 16 gauge finish nails, 6d or 8d finish nails. Pneumatic guns can be used - rubber bumpers on the nail gun tooling will protect the moulding. Air pressure should be adjusted based upon gun, temperature, substrate (80-100 psi is typical). Always use the least pressure necessary to drive the nail into the product.) Trim should be fastened to a flat solid surface. In cold weather below 40°F, predrilling may be necessary. Do not use brads or wire nails. Staples can only be used to fasten beaded planking.

Recommended Screws:

- Fasten Master Cortex® Hidden Fastening System (screw and PVC plug system) 5/8" to 5/4"
- Starborn Pro Plug® System (screw and PVC plug system) 5/8" to 5/4"
- Simpson Strong-Tie® Trim-Head Stainless Steel Screw
- GRK Fasteners FIN/Trim Finishing Trim Head Screws (ClimatekCoated® or Phoenix Stainless Steel)
- Kreg Blue-Kote™ Pocket-Hole Screws (for assembling trim with pocket-holes)
- #8-gauge TrimTop 305 SS with sharp type 17 piercing point by Fasten Master
- 305 SS Headcote #7 or #8 trim screws with auger points

For Concrete/Masonry/Brick: – Apply masonry adhesive sealant (always follow manufacturer's instructions) to the surface of concrete first. Lay the trim board/sheet and secure with Tapcon masonry fasteners.

19. What should I use to fill screw or nail holes and/or cracks?

- Extreme Adhesives Fill & Flex®
- Dap® Platinum Patch®
- OSI QUADMAX
- Sashco Big Stretch High Performance Elastic sealant
- Sherwin Williams Shrink Free Spackling®
- Crackshot High-Performance Spackling Paste

20. What adhesives do you recommend?

You can use an acrylic, urethane, or polyurethane caulk. Mechanical fasteners are always required. User needs to follow manufacturer's instructions. Adhesives are not covered by our warranty. Listed below are manufacturers that have formulated adhesives to work with:

PVC to PVC

- Titebond Ultimate PVC Trim Adhesive & Sealant
- Titebond PVC Trim Joint Adhesive
- Extreme Adhesives PVC Trim Welder®
- ZeVo 1 Part Cellular PVC Adhesive® for use with Royal Building Products
- FastCap 2P-10 Adhesive & Activator
- OSI PVC Trim Bond®
- Weld-On® 705 by IPS
- Christy's Red Hot White Vinyl Adhesive®
- Quality Transparent PVC Cement

PVC to Wood

- Liquid Nails® Heavy Duty
- Liquid Nails® Subfloor
- Loctite PL Premium
- Loctite PL Max
- Loctite PLX8

PVC to Masonry

- NPC Solar Seal® 900
- Liquid Nails® LN950 Construction Adhesive
- Liquid Nails Fuze*It®

For PVC to Steel

- NPC Solar Seal® 900
- Liquid Nails Fuze*It®
- Liquid Nails® LN950 Construction Adhesive

21. What sealants do you recommend?

You can use an acrylic, urethane, or polyurethane sealants. Mechanical fasteners are always required. User needs to follow manufacturer's instructions. Adhesives are not covered by our warranty. Listed below are manufacturers that have formulated adhesives to work with:

- OSI QuadMax
- OSI Quad
- NPC Solar Seal® 900

FAQs

PAINTING & COATING PVC

22. Does cellular PVC trim and/or cellular PVC require painting?

No. Cellular PVC trim does not require painting but, like any cellular PVC product, it will weather over time and painting will enhance these beautiful products to maintain color consistency for many years. Our cellular trim products are ready for painting and require very little preparation. Painting with a good quality, vinyl safe 100% Acrylic Latex paint will further protect products to maintain color consistency for many years. There are several paint manufacturers that will warranty their coating products on cellular PVC trim for 20 years or more. Our Warranty does not cover painted finishes or coating applied to the product by the original purchaser or any third party.

To match our P546 White Trim, users can use:

(NOTE: This is the closest custom color match. We do not warrant any third-party color matching as we cannot control any outside variation. We also cannot warrant any third-party coating manufacturer's coating performance.)

a. Sherwin Williams off-the-shelf exterior latex Resilience (Satin) 6404-13530 Extra White. This is a very close color match and is readily available.

b. Sherwin Williams exterior latex Emerald (Satin) Custom Color Match

CUSTOM SHER-COLOR MATCH				
CCE*COLORANT	OZ	32	64	128
L1-Blue	-	-	-	1
R2-Maroon	-	-	-	1
Y3-Yellow	-	-	-	1

(This is a Sherwin-Williams non-returnable custom color match and may need to be special ordered. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match.)

To match our P644 Sand Dune Trim, users can use:

(NOTE: This is the closest custom color match. We do not warrant any third-party color matching as we cannot control any outside variation. We also cannot warrant any third-party coating manufacturer's coating performance.)

a. Sherwin Williams VinylSafe® Exterior Architectural Latex Super Paint Satin- Custom Color Match

CUSTOM SHER-COLOR MATCH				
CCE*COLORANT	OZ	32	64	128
G2-New Green	-	-	1	1
N1-Raw Umber	-	62	1	1
Y3-Deep Gold	-	22	1	1

b. OSI sells Beige colored caulking, Quad 473 and QuadMax 473. These are a close, but not exact match to Sand Dune.

MUST BE VinylSafe®

(This is a Sherwin-Williams VinylSafe® non-returnable custom color match. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match.)

To match our P647 Tuscan Tan Trim, users can use:

(NOTE: This is the closest custom color match. We do not warrant any third-party color matching as we cannot control any outside variation. We also cannot warrant any third-party coating manufacturer's coating performance.)

a. Sherwin Williams VinylSafe® Exterior Architectural Latex Super Paint Low Luster- Custom Color Match:

CUSTOM SHER-COLOR MATCH				
CCE*COLORANT	OZ	32	64	128
G2-New Green	-	2	-	1
N1- Raw Umber	2	43	-	1
Y3-Deep Gold	-	7	-	-

MUST BE VinylSafe®

(This is a Sherwin-Williams VinylSafe® non-returnable custom color match. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match.)

To match our P647 Harbor Gray Trim, users can use:

(NOTE: This is the closest custom color match. We do not warrant any third-party color matching as we cannot control any outside variation. We also cannot warrant any third-party coating manufacturer's coating performance.)

- a. Sherwin Williams VinylSafe® Exterior Architectural Latex Super Paint Satin- Custom Color Match:

CUSTOM SHER-COLOR MATCH				
CCE*COLORANT	OZ	32	64	128
W1-White	-	52	-	1
L1- Blue	-	49	1	1
R2-Maroon	-	22	1	1
Y3-Deep Gold	-	3	-	1

MUST BE VinylSafe®

(This is a Sherwin-Williams VinylSafe® non-returnable custom color match. Sherwin-Williams cautions that to assure consistent color always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip or color match.

23. If I do paint, what type of paint should I use?

For light colors with a light reflective value (LRV) of 57 or higher, we recommend a high quality 100% acrylic latex or acrylic blend paint developed for trim. Coating manufacturers can and will specify the LRV for its color palette.

For dark colors, with a light reflective value (LRV) of 56 or lower, it is imperative that an approved solar reflective coating is used. These paints are typically referred to as "vinyl safe" paints, or heat reflective coatings for vinyl. Failure to use the proper coatings specific to dark colors will result in heat distortion and buckling to any cellular PVC

Based upon the questions that we receive, it is apparent that many people are not fully educated regarding dark colors, heat buildup Benjamin Moore Revive® and Sherwin-Williams VinylSafe® technology.

Sherwin-Williams and Benjamin Moore carry exterior paint various product lines. Sherwin-Williams VinylSafe® Technology and Benjamin Moore Revive® are options in these product line. Sherwin-Williams VinylSafe®, and Benjamin Moore Revive are low heat buildup color pigment packages that can be used with cellular PVC.

For Sherwin Williams, this specialized coating is not automatically a feature in the paint products where VinylSafe® is available. VinylSafe® MUST BE SPECIFIED AS AN OPTION when having paint mixed, using Sherwin-Williams Emerald®, Duration®, Resilience®, SuperPaint® latex paints, or SnapDry™ Door & Trim Paint.

Summary:

After significant experience and testing, using solar reflective coatings such as Benjamin Moore Revive and Sherwin-Williams VinylSafe® will give the user best coating solution for dark colors. Our warranty does not cover painted finishes or coating applied to the product by the original purchaser or any third party. However, if the proper coatings are used, and the coating manufacturer's instructions are followed, users will be successful.

No priming is necessary; however, the finish quality is greatly enhanced if you use a premium 100% acrylic latex paint for trim with a built-in primer. In addition, a primer may be required under the paint manufacturer's warranty.

Always follow the paint manufacturer's instructions. In preparation for painting, we recommend product should be clean, dry and free of dirt, grease and or any other surface contaminants before painting. Adhesion can be improved through light scuff sanding. Product should be cleaned with a mild detergent or denatured alcohol and soft clean rag or bristle brush.

Before you start, it's a good idea to fill all nails holes or blemishes that may occur during installation. Although scuff sanding is not needed, light sanding of the surface, with fine sandpaper can help remove blemishes prior to painting, but only if needed. For smoothing ripped or routed edges the milled or ripped surface can be smoothed using 220-320 grit sand paper. This will greatly assist to remove saw marks (or cutter head marks) and somewhat seal the milled surface and make it easier to paint.

Failure to adhere to manufacturer's recommended guidelines for application of painted surfaces may void any paint manufacturer's warranty.

Here are a few paint manufacturer recommendations:

<i>Sherwin Williams</i>	<i>PPG</i>	<i>Benjamin Moore</i>
Super Paint®	Manor Hall®	Revive®
Duration®		Moorlife®
Green Seal®		

24. Can you stain PVC mouldings?

Yes, but staining PVC mouldings takes coating applications such as TruStain™ from AquaSurTech OEM and or AWP SPQT Stainable Primer Wood Base Coat for Hard Surfaces. Follow the manufacturer's recommendations.

Appendix

S4S

Profile	Description	Length	Pieces/ Unit	Pound/ Ft	Pound/ Each	Pound/ Unit
2150.....	1-1/2 S4S 16'	16	286	0.22	4	1,004
7827.....	5/8X3 1/2 S4S TRIMBOARD 18'	18	130	0.51	9	1,199
7828.....	5/8X5 1/2 S4S TRIMBOARD 18'	18	80	0.8	14	1,159
7829.....	5/8X7 1/4 S4S TRIMBOARD 18'	18	60	1	19	1,145
7830.....	5/8X9 1/4 S4S TRIMBOARD 18'	18	50	1	24	1,218
7831.....	5/8X11 1/4 S4S TRIMBOARD 18'	18	40	2	30	1,185
7832.....	1X2 S4S TRIMBOARD 18'	18	270	0.25	5	1,232
7833.....	1X3 S4S TRIMBOARD 18'	18	162	0.44	8	1,280
7834.....	1X4 S4S TRIMBOARD 18'	18	117	0.61	11	1,294
7871.....	1X5 S4S TRIMBOARD 18'	18	90	0.79	14	1,280
7835.....	1X6 S4S TRIMBOARD 18'	18	72	0.97	17	1,251
7836.....	1X8 S4S TRIMBOARD 18'	18	54	1	23	1,237
7837.....	1X10 S4S TRIMBOARD 18'	18	45	2	30	1,315
7838.....	1X12 S4S TRIMBOARD 18'	18	36	2	36	1,280
7874.....	5/4X3 S4S TRIMBOARD 18'	18	126	0.59	11	1,327
7840.....	5/4X4 S4S TRIMBOARD 18'	18	91	0.82	15	1,342
7875.....	5/4X5 S4S TRIMBOARD 18'	18	70	1	19	1,327
7841.....	5/4X6 S4S TRIMBOARD 18'	18	56	1	23	1,298
7842.....	5/4X8 S4S TRIMBOARD 18'	18	42	2	31	1,283
7843.....	5/4X10 S4S TRIMBOARD 18'	18	35	2	39	1,364
7844.....	5/4X12 S4S TRIMBOARD 18'	18	28	3	47	1,327

SurEdge

Profile	Description	Length	Pieces/ Unit	Pound/ Ft	Pound/ Each	Pound/ Unit
9905.....	1/2X3 SUREEDGE TRIMBOARD 18'	18	504	0.30	5	2,703
9906.....	1/2X4 SUREEDGE TRIMBOARD 18'	18	312	0.42	8	2,343
9907.....	1/2X6 SUREEDGE TRIMBOARD 18'	18	192	0.66	12	2,266
9908.....	1/2X8 NET SUREEDGE TRIMBRD 18'	18	120	0.95	17	2,060
9759.....	5/8X4 SUREEDGE TRIMBOARD 18'	18	130	0.53	10	1,249
9760.....	5/8X6 SUREEDGE TRIMBOARD 18'	18	80	0.83	15	1,198
9761.....	5/8X8 SUREEDGE TRIMBOARD 18'	18	60	1	20	1,180
9762.....	5/8X10 SUREEDGE TRIMBOARD 18'	18	50	1	25	1,251
9763.....	5/8X12 SUREEDGE TRIMBOARD 18'	18	40	2	30	1,216
9784.....	5/8X14 SUREEDGE TRIMBOARD 18'	18	30	2	36	1,073
9764.....	5/8X16 SUREEDGE TRIMBOARD 18'	18	24	2	41	987
9766.....	1X3 SUREEDGE TRIMBOARD 18'	18	162	0.46	8	1,345
9767.....	1X4 SUREEDGE TRIMBOARD 18'	18	117	0.64	12	1,348
9768.....	1X5 SUREEDGE TRIMBOARD 18'	18	90	0.82	15	1,327
9769.....	1X6 SUREEDGE TRIMBOARD 18'	18	72	1	18	1,293
9770.....	1X8 SUREEDGE TRIMBOARD 18'	18	54	1	24	1,274
9771.....	1X10 SUREEDGE TRIMBOARD 18'	18	45	2	30	1,351
9772.....	1X12 SUREEDGE TRIMBOARD 18'	18	36	2	36	1,313
9788.....	1X14 SUREEDGE TRIMBOARD 18'	18	21	2	43	901
9773.....	1X16 SUREEDGE TRIMBOARD 18'	18	24	3	49	1,184
9774.....	5/4X3 SUREEDGE TRIMBOARD 18'	18	133	0.62	11	1,473
9775.....	5/4X4 SUREEDGE TRIMBOARD 18'	18	91	0.85	15	1,398
9776.....	5/4X5 SUREEDGE TRIMBOARD 18'	18	70	1	20	1,376
9777.....	5/4X6 SUREEDGE TRIMBOARD 18'	18	56	1	24	1,341
9778.....	5/4X8 SUREEDGE TRIMBOARD 18'	18	42	2	31	1,321
9779.....	5/4X10 SUREEDGE TRIMBOARD 18'	18	35	2	40	1,401
9780.....	5/4X12 SUREEDGE TRIMBOARD 18'	18	28	3	49	1,361
9781.....	5/4X16 SUREEDGE TRIMBOARD 18'	18	24	4	66	1,579
9781.....	5/4X16 SUREEDGE TRIMBOARD 18'	18	24	4	66	1,579
Sand Dune						
9759.....	5/8X4 SUREEDGE TRIMBOARD 18'	18	130	0.53	10	1,249
9760.....	5/8X6 SUREEDGE TRIMBOARD 18'	18	80	0.83	15	1,198
9761.....	5/8X8 SUREEDGE TRIMBOARD 18'	18	60	1	20	1,180
9762.....	5/8X10 SUREEDGE TRIMBOARD 18'	18	50	1	25	1,251
9763.....	5/8X12 SUREEDGE TRIMBOARD 18'	18	40	2	30	1,216
9764.....	5/8X16 SUREEDGE TRIMBOARD 18'	18	24	2	41	987

Prefinished Trim

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
9759.....	5/8X4 SUREEDGE TRIMBOARD 16'	16.....	2.....	0.53.....	9.....	17.....
9760.....	5/8X6 SUREEDGE TRIMBOARD 16'	16.....	2.....	0.83.....	13.....	27.....
9761.....	5/8X8 SUREEDGE TRIMBOARD 16'	16.....	2.....	1.....	17.....	35.....
9762.....	5/8X10 SUREEDGE TRIMBOARD 16'	16.....	2.....	1.....	22.....	44.....
9763.....	5/8X12 SUREEDGE TRIMBOARD 16'	16.....	2.....	2.....	27.....	54.....
9767.....	1X4 SUREEDGE TRIMBOARD 16'	16.....	2.....	0.64.....	10.....	20.....
9769.....	1X6 SUREEDGE TRIMBOARD 16'	16.....	2.....	1.....	16.....	32.....
9770.....	1X8 SUREEDGE TRIMBOARD 16'	16.....	2.....	1.....	21.....	42.....
9771.....	1X10 SUREEDGE TRIMBOARD 16'	16.....	2.....	2.....	27.....	53.....
9772.....	1X12 SUREEDGE TRIMBOARD 16'	16.....	2.....	2.....	32.....	65.....
9775.....	5/4X4 SUREEDGE TRIMBOARD 16'	16.....	2.....	0.85.....	14.....	27.....
9777.....	5/4X6 SUREEDGE TRIMBOARD 16'	16.....	2.....	1.....	21.....	43.....
9778.....	5/4X8 SUREEDGE TRIMBOARD 16'	16.....	2.....	2.....	28.....	56.....
9779.....	5/4X10 SUREEDGE TRIMBOARD 16'	16.....	2.....	2.....	36.....	71.....
9780.....	5/4X12 SUREEDGE TRIMBOARD 16'	16.....	2.....	3.....	43.....	86.....

Conceal

Profile	Description	Length	Pieces/ Unit	Pound/ Ft	Pound/ Each	Pound/ Unit
9718.....	ROYAL OSC 3/4X5-11/16" 20'	20.....	48.....	2.....	32.....	1,531.....
7971.....	ROYAL OSC 3-11/16" 20'	20.....	72.....	2.....	35.....	2,516.....
7973.....	ROYAL OSC 5-11/16" 20'	20.....	48.....	3.....	54.....	2,593.....
7972.....	ROYAL OSC 3-11/16" 20'	20.....	72.....	2.....	35.....	2,516.....
7970.....	ROYAL OSC 5-11/16" 20'	20.....	48.....	3.....	54.....	2,593.....
9706.....	5/4X4" J-CHANNEL TRIM 18'	18.....	26.....	0.85.....	15.....	399.....
7994.....	5/4X6" J-CHANNEL TRIM 18'	18.....	24.....	1.....	24.....	575.....
9707.....	5/4X8" J-CHANNEL TRIM 18'	18.....	36.....	2.....	31.....	1132.....
9914.....	5/4X10" J-CHANNEL TRIM 18'	18.....	35.....	2.....	40.....	1401.....
9794.....	5/4X4 CONCEAL WNDW SRND 18'	18.....	90.....	0.85.....	15.....	1383.....
9795.....	5/4X6 CONCEAL WNDW SRND 18'	18.....	56.....	1.....	24.....	1341.....
9800.....	5/4X4 TRADTNL WNDW SRND 18'	18.....	90.....	0.85.....	15.....	1383.....
9801.....	5/4X6 TRADTNL WNDW SRND 18'	18.....	56.....	1.....	24.....	1341.....
9816.....	1X4 TRADTNL WNDW SRND 18'	18.....	117.....	0.64.....	12.....	1348.....
9817.....	1X5 TRADTNL WNDW SRND 18'	18.....	90.....	0.82.....	15.....	1327.....
9818.....	1X6 TRADTNL WNDW SRND 18'	18.....	72.....	1.....	18.....	1293.....
9703.....	1X6 SUREEDGE TB (CEL)18'	18.....	72.....	1.....	18.....	18.....
9704.....	4/4X8" SKIRT BOARD 18'	18.....	54.....	1.....	24.....	1274.....
9705.....	4/4X10" SKIRT BOARD 18'	18.....	12.....	2.....	30.....	360.....
9700.....	5/4X4" SKIRT BOARD 18'	18.....	78.....	0.85.....	15.....	1198.....
7993.....	5/4X6" SKIRT BOARD 18'	18.....	48.....	1.....	24.....	1149.....
9701.....	5/4X8" SKIRT BOARD 18'	18.....	36.....	2.....	31.....	1132.....
9796.....	WATER TABLE 16'	16.....	204.....	0.51.....	8.....	1668.....
9719.....	STONE WATER TABLE 16'	16.....	144.....	1.....	20.....	2821.....
9833.....	5/8X4" CONCEAL T-MOLD 18'	18.....	130.....	0.53.....	10.....	19.....
9835.....	5/4X4 CONCEAL T-MOLD 18'	18.....	90.....	0.85.....	15.....	1383.....
9831.....	5/4X6" CONCEAL T-MOLD 18'	18.....	56.....	1.....	25.....	1389.....
9832.....	5/4X8" CONCEAL T-MOLD 18'	18.....	42.....	2.....	31.....	1321.....
9953V.....	V-STONE WATER TABLE.....	16.....	2.....	0.9.....	14.2.....	28.4.....

Appendix

PCT

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2920.....	3/8X3" PRCN CUT BRD 14'	14	406	0.27	4	1524
2979.....	3/8X2 3/4 PRCN CUT BRD 18'	18	435	0.25	4	1925
2880.....	1X4 X 3/8 PRCN CUT BRD 18' E1	18	208	0.31	6	1171
2975.....	3/8X3 3/4 PRCN CUT BRD 18'	18	319	0.34	6	1925
2990.....	3/8X5 PRCN CUT BRD 16' E1	16	232	0.45	7	1659
3068.....	3/8X5 3/8 PRCN CUT BRD 18' E0	18	232	0.48	9	2007
2881.....	1X6 X 3/8 PRCN CUT BRD 18' E0	18	256	0.49	9	2266
2882.....	1X8 X 3/8 PRCN CUT BRD 18' E1	18	192	0.65	12	2240
2884.....	1X10 X 3/8 PRCN CUT BRD 18' E0	18	160	0.83	15	2382
2885.....	1X12 X 3/8 PRCN CUT BRD 12' E0	12	64	1	13	824
3009.....	FULL 12" X 3/8 PRCN CUT BRD 8'	8	64	1	9	549
2873.....	1X4 X 1/2 PRCN CUT BRD 18'-3"	18.25	156	0.42	8	1188
2874.....	1X6 X 1/2 PRCN CUT BRD 18' E0	18	96	0.66	12	1133
2875.....	1X8 X 1/2 PRCN CUT BRD 18'	18	144	0.86	16	2240
2876.....	1X10 X 1/2 PRCN CUT BRD 10' E1	10	60	1	11	662
2877.....	1X12 X 1/2 PRCN CUT BRD 12' E1	12	48	1	16	772
3078.....	1/2X14" SHEETBOARD 12'	12	105	2	20	2040
2936.....	1X16 X 1/2 PRCN CUT BRD 10' E0	10	54	2	19	1030
3018.....	5/8X2 1/2 PRCN CUT BRD 18'	18	272	0.37	7	1824
2832.....	1X4 X 5/8 PRCN CUT BRD 18'	18	130	0.52	9	1220
2904.....	1X5 X 5/8 PRCN CUT BRD 18' E0	18	190	0.67	12	2293
2833.....	1X6 X 5/8 PRCN CUT BRD 18'	18	80	0.82	15	1180
2906.....	6.5 X 5/8 PRCN CUT BRD 18' E0	18	133	1	17	2319
2834.....	1X8 X 5/8 PRCN CUT BRD 18'	18	60	1	19	1167
2835.....	1X10 X 5/8 PRCN CUT BRD 18'	18	50	1	25	1240
2836.....	1X12 X 5/8 PRCN CUT BRD 18'	18	40	2	30	1207
2919.....	1X16X5/8 PRCN CUT BRD 18'	18	27	2	40	1087
2825.....	1X2 X 3/4 CHOICETRIM BOARD 8'	8	420	0.27	2	901
2898.....	1X3 X 3/4 PRCN CUT BRD 18' E0	18	162	0.45	8	1303
2826.....	1X4 X 3/4 PRCN CUT BRD 18'	18	117	0.63	11	1318
2899.....	1X5 X 3/4 PRCN CUT BRD 18'	18	90	0.8	14	1303
2827.....	1X6 X 3/4 PRCN CUT BRD 18'	18	72	1	18	1274
2828.....	1X8 X 3/4 PRCN CUT BRD 18'	18	54	1	23	1260
2829.....	1X10 X 3/4 PRCN CUT BRD 18'	18	45	2	30	1340
2830.....	1X12 X 3/4 PRCN CUT BRD 18'	18	36	2	36	1304
3004.....	3/4X15 1/4 PRCN CUT BRD 18' E0	18	21	3	49	1031
2912.....	1X16 X 3/4 PRCN CUT BRD 18'	18	27	3	51	1390
2951.....	3/4X18 PRCN CUT BRD 18' E0	18	28	3	58	1622
2866.....	5/4X4 PRCN CUT BRD 18'	18	91	0.83	15	1367
2901.....	5/4X4-1/2 PRCN CUT BRD 20'	20	70	1	21	1502
2965.....	1X 4-5/8" W 1" PCN CT BD 8' E0	8	99	1	9	873
2867.....	1X6 X 1 PRCN CUT BRD 18' E1	18	56	1	24	1322
2868.....	5/4X8 PRCN CUT BRD 18'	18	42	2	31	1307
2869.....	5/4X10 PRCN CUT BRD 18'	18	35	2	40	1389
2870.....	5/4X12 PRCN CUT BRD 18'	18	28	3	48	1352
3003.....	1X15 1/4 PRCN CUT BRD 20'	20	21	4	73	1527
2913.....	5/4X16 PRCN CUT BRD 18'	18	21	4	69	1442
9747.....	6/4X4 PRCN CUT BRD 18'	18	65	1	20	1331
9748.....	6/4X6 PRCN CUT BRD 18'	18	40	2	32	1287
9749.....	6/4X8 PRCN CUT BRD 18'	18	30	2	42	1273
9750.....	6/4X10 PRCN CUT BRD 18'	18	25	3	54	1353
9751.....	6/4X12 PRCN CUT BRD 18'	18	20	4	66	1317
9799.....	6/4X16 PRCN CUT BRD 18'	18	18	6	103	1854
9753.....	8/4X4 PRCN CUT BRD 18'	18	65	1	23	1491
9754.....	8/4X6 PRCN CUT BRD 18'	18	48	2	36	1730
9755.....	8/4X8 PRCN CUT BRD 18'	18	30	3	48	1425
9756.....	8/4X10 PRCN CUT BRD 18'	18	25	3	61	1516
9757.....	8/4X12 PRCN CUT BRD 18'	18	20	4	74	1475

Sheet

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
9912.....	1/4X48" SHEET BOARD 12'	12	30	3	34	1030
2878.....	3/8X48 SHEET BOARD 18' E0	18	32	4	77	2472
2871.....	1/2X48 SHEET BOARD 18'	18	24	6	103	2472
2838.....	5/8X48 SHEET BOARD 18' E0	18	19	7	129	2446
2837.....	3/4X48 SHEET BOARD 18' E1	18	17	9	154	2626
2864.....	5/4X48 SHEET BOARD 18'	18	12	12	206	2472
9752.....	6/4X48 SHEET BRD 18'	18	10	16	281	2809
9758.....	1-1/2X48 SHEET BOARD 18'	18	6	17	315	1888

P644-E0 SAND DUNE

2837.....	3/4X48 SHEET BOARD 8'	8	32	9	69	2,197
2838.....	5/8X48 SHEET BOARD 18'	18	32	7	129	4,120

Nickel Gap & Bead Board

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2352.....	PLANKING 16'	16	7	0.36	6	40
9734.....	CONCEAL 1/2" BEAD PLANK 18'	18	4	0.63	11	46
9735.....	REVERSIBLE BEAD PLANK 18' HH	18	4	0.65	12	47
9913.....	1X6 BEAD BOARD 18'	18	72	0.94	17	1212
9830.....	5/8X6" NICKEL GAP/SHIPLAP 18'	18	2	0.82	15	30
9834.....	5/8X8" NICKEL GAP/SHIPLAP 18'	18	2	1	19	39
2764.....	WAINSCOT CAP 8'	8	12	0.15	1	14
2566.....	FRAME 16'	16	6	0.51	8	49
9952.....	REVERSIBLE NICKEL GAP/V-GROOVE PLANK 16'	16	72	0.98	15.7	1274
9952.....	REVERSIBLE NICKEL GAP/V-GROOVE PLANK 18'	18	72	0.98	17.7	1132

Column Wrap

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
9807.....	4X4 COLUMN WRAP 10'	10.0	24	2	23	558
9811.....	6X6 COLUMN WRAP 10'	10	15	3	33	492
9815.....	8X8 COLUMN WRAP 10'	10	8	5	46	367
9829.....	12X12 COLUMN WRAP 10'	10	6	5	54	325
9854.....	4X4 CONTRACTOR CAP/BASE SET	1	8			
9850.....	4X4 TRADITIONAL CAP/BASE SET	1	8			
9858.....	4X4 CRAFTSMAN CAP/BASE SET	1	8			
9855.....	6X6 CONTRACTOR CAP/BASE SET	1	5			
9851.....	6X6 TRADITIONAL CAP/BASE SET	1	5			
9859.....	6X6 CRAFTSMAN CAP/BASE SET	1	5			
9856.....	8X8 CONTRACTOR CAP/BASE SET	1	8			
9852.....	8X8 TRADITIONAL CAP/BASE SET	1	8			
9860.....	8X8 CRAFTSMAN CAP/BASE SET	1	8			
9857.....	12X12 CONTRACTOR CAP/BASE SET	1	6			
9853.....	12X12 TRADITIONAL CAP/BASE SET	1	6			
9861.....	12X12 CRAFTSMAN CAP/BASE SET	1	6			

Appendix

Garage Door System

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2149.....	THERMO STOP 18'	18.....	15.....	0.19.....	3.....	52
3029.....	THERMO STOP 18'	18.....	10.....	0.23.....	4.....	41
2591.....	THERMO STOP 18'	18.....	10.....	0.28.....	5.....	51
2448.....	BRICK MOULD 18'	18.....	6.....	0.49.....	9.....	53
9841.....	3/8X7 1/2 GDT SUREEDGE 18'	18.....	2.....	0.67.....	12.....	24

Window & Door

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2448.....	BRICK MOULD 18'	18.....	378.....	0.49.....	9.....	3333
7351.....	J CHANNEL BRICK MOULD 17'	17.....	4.....	0.45.....	8.....	31
7360.....	BRICK MOULD 14'	14.....	378.....	0.5.....	7.....	2657
7371.....	BRICK MOULD W/NAIL FIN 18'	18.....	238.....	0.57.....	10.....	2457
2622.....	BRICK MOULD 17'	17.....	475.....	0.2.....	3.....	1578
7252.....	BRICK MOULD 8'	8.....	15.....	0.25.....	2.....	30
7216.....	WILLIAMSBURG CASING 8'	8.....	4.....	0.7.....	6.....	23
7467.....	J CHANNEL CASING 18'	18.....	4.....	0.87.....	16.....	62
7651.....	J CHANNEL CASING 16'	16.....	2.....	2.....	27.....	54

Crown

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2853.....	CROWN 16'	16.....	10.....	0.27.....	4.....	43
2435.....	CROWN 16'	16.....	10.....	0.36.....	6.....	57
7541.....	CROWN 16'	16.....	4.....	0.55.....	9.....	35
2592.....	CROWN 8'	8.....	4.....	0.54.....	4.....	17
7491.....	CROWN 16'	16.....	4.....	0.61.....	10.....	39
7662.....	CROWN 16'	16.....	2.....	1.....	21.....	41
9824.....	8" CROWN 16'	16.....	2.....	1.....	19.....	38
7158.....	RAM CROWN 16'	16.....	6.....	0.48.....	8.....	46
7960.....	CROWN CAP 12'	12.....	4.....	0.98.....	12.....	47
7712.....	COLUMN TRIM 16'	16.....	6.....	0.47.....	8.....	45
7714.....	PEDIMENT 16'	16.....	2.....	0.95.....	15.....	30
7661.....	6" CROWN 8'	8.....	4.....	0.76.....	6.....	24

Sill & Sill Nose

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
7117.....	SILL 7'	7.....	4.....	1.....	8.....	30
7717.....	SILL NOSE 16'	16.....	6.....	0.54.....	9.....	52
7640.....	SILL 16'	16.....	2.....	1.....	23.....	46
2345.....	SILL NOSE 16'	16.....	10.....	0.42.....	7.....	66
7118.....	SILL NOSE 16'	16.....	12.....	0.32.....	5.....	61
7435.....	SILL NOSE 16'	16.....	2.....	1.....	17.....	35
7631.....	WINDOW SURROUND SILL 16'	16.....	6.....	0.81.....	13.....	78
7213.....	TRANSOM SILL 16'	16.....	153.....	0.93.....	15.....	2272
7806.....	TRANSOM SILL 12'	12.....	102.....	1.....	15.....	1521
2388.....	LOUVER SILL 17'	17.....	192.....	0.65.....	11.....	2108
2915.....	LOUVER SLAT 17'	17.....	8.....	0.48.....	8.....	65
2496.....	SILL NOSE 16'	16.....	224.....	0.41.....	7.....	1459

Door Jambs, Transom & Extensions

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
7181.....	ENTRY DR JAMB 7'	7	2	1	9	18
7251.....	ENTRY DOOR JAMB 17'	17	117	2	27	3106
7241.....	ENTRY DR JAMB PRS 82"	13.667	48	2	28	1350
7193.....	ASTRAGAL 8'	8	234	0.83	7	1549
7155.....	ASTRAGAL 8'-2"	8.166	140	0.92	8	1054
2430.....	HORIZONTAL MULLION 12'	12	384	0.25	3	1148
2424.....	VERTICAL MULLION 7'	7	384	0.27	2	719
7464.....	TRANSOM SASH 16'	16	255	0.62	10	2538
7623.....	TOP RAIL 12'	12	168	0.4	5	799
7160.....	JAMB EXTENDER 16'	16	240	0.55	9	2097
7417.....	JAMB EXTENDER 18'	18	4	0.99	18	71
7159.....	JAMB EXTENDER 16'	16	124	0.85	14	1681
7205.....	JAMB EXTENDER 12'	12	240	0.59	7	1700
7206.....	JAMB EXTENDER 12'	12	144	1	12	1751
2497.....	DOOR JAMB (EMB) 7'	7	4	0.69	5	19
2709.....	FLAT TRIM (EMBOSSSED) 8'	8	10	0.43	3	34

Quarter Rounds, Covets & Stops

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2024.....	QUARTER ROUND 8'	8	20	0.04	0.34	7
5111.....	QUARTER ROUND 8'	8	20	0.06	0.50	10
2689.....	QUARTER ROUND 8'	8	25	0.08	0.66	16
2258.....	EXTERIOR BEAD 8'	8	25	0.03	0.27	7
2021.....	INSIDE CORNER 8'	8	20	0.07	0.52	10
2046.....	SHOE MOULDING 12' LWM127	12	3000	0.05	0.58	1746
2141.....	SCRIBE 10'	10	36	0.1	0.99	36
2803.....	SHOE 8' NARROW	8	50	0.03	0.23	12
2329.....	HEAD GLASS STOP 16'	16	384	0.26	4	1598
2330.....	HEADSTOP 8'	8	20	0.09	0.69	14
2349.....	BLIND STOP 14'	14	29	0.17	2.38	69
2357.....	STOP 16'	16	24	0.25	4	96
1154.....	STOP 7'	7	30	0.13	0.92	28
2625.....	INTERIOR STOP 16'	16	50	0.08	1	61
9887.....	WHITE PVC SHOE 126 8'	8	15	0.06	0.5	8
W109.....	STOP 7'	7	225	0.05	0.32	71

Decorative Trim

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2850.....	7/8" PARTING BEAD 8'	8	25	0.04	0.34	9
2851.....	1-1/4" PARTING BEAD 8'	8	25	0.06	0.49	12
7788.....	COLONIAL STOP 7'	7	20	0.09	0.60	12
7719.....	OUTSIDE CORNER 8'	8	15	0.11	0.90	14
6577.....	11/16 OUTSIDE CORNER 8'	8	20	0.05	0.41	8
2450.....	BASE CAP 8'	8	18	0.1	0.82	15
9785.....	BASE CAP 8' RM166	8	35	0.1	0.78	27
2759.....	TRIM 8'	8	30	0.1	0.82	25
2363.....	STOP 8'	8	20	0.2	1.57	31
2018.....	LATTICE 8'	8	40	0.09	0.70	28
6510.....	LATTICE 8'	8	20	0.09	0.76	15
9890.....	WHITE PVC BACKBAND L280 8'	8	15	0.11	0.92	14
2566.....	WAINSCOT CAP 8' DECO	8	8	0.51	4	33
2764.....	WAINSCOT CAP 8'	8	12	0.15	1	14

Appendix

Drip Caps, Backbands & Panel Mould

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2598.....	BED MOULDING 8'	8	25	0.14	1	28
2449.....	DRIP CAP 8'	8	25	0.16	1	32
2791.....	DRIP CAP 8' RM187	8	12	0.21	2	20
7152.....	BACK BAND 8'	8	10	0.38	3	31
7709.....	5/8" BACKBAND 16'	16	8	0.33	5	43
7710.....	1" BACKBAND 8'	8	8	0.45	4	29
7901.....	BAND MOULDING 8'	8	16	0.2	2	26
7937.....	SHINGLE BAND MOULDING 8'	8	2	0.59	5	9
7202.....	RAKE MOULD 8'	8	10	0.37	3	30
2599.....	SHINGLE MOULD 8'	8	10	0.18	1	14
7714.....	PEDIMENT 8'	8	2	0.95	8	15
9724.....	DECORATIVE HALF ROUND 8'	8	17	0.15	1	21
2536.....	BALUSTER 10'	10	10	0.33	3	33
2542.....	2X2 BOARD 8'	8	10	0.6	5	48
2535.....	TOP RAIL 10'	10	180	0.46	5	8298
2537.....	BOTTOM RAIL 8'	8	66	0.83	7	438

Casing

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
2590.....	CASING 8'	8	4	0.77	6	25
7255.....	CASING 16'	16	162	1	16	2605
2852.....	ADAMS CASING 8' PM520	8	4	0.58	5	19
7216.....	WILLIAMSBURG CASING 8'	8	4	0.70	6	23
7884.....	WILLIAMSBURG CASING 14'	14	234	0.91	13	2972
2369.....	RB3 CASING 16'	16	8	0.41	7	53
5445.....	COL CASING 7'	7	15	0.18	1	19
2342.....	COLONIAL CASING 8' RM376	8	16	0.27	2	34
2355.....	COLONIAL CASING 8'	8	12	0.25	2	24
2991.....	COLONIAL CASING 16'	16	10	0.34	5	54
2331.....	CASING 8'	8	10	0.25	2	20
5913.....	RANCH CASING 7'	7	15	0.16	1	17
2440.....	COLONIAL CASING 8' RM351	8	16	0.36	3	46
2343.....	COLONIAL CASING 8' RM445	8	8	0.33	3	21
7939.....	COL CASING (BENDABLE) 17'	17	270	0.47	8	2139
2746.....	CASING 8'	8	8	0.45	4	29
7263.....	BENDABLE CASING 17'	17	9	0.44	7	67
2716.....	CASING 16'	16	176	0.48	8	1362
9872.....	WHITE PVC COL CASING L444 7'	7	10	0.3	2	21
9879.....	WHITE PVC COL CASING 356 7'	7	10	0.18	1	13
2365.....	COLONIAL CASING 8' RM442	8	10	0.26	2	21
2428.....	WEST COAST CASING 8'	8	10	0.24	2	19
9877.....	WHITE PVC CASING E2E 7'	7.5	10	0.38	3	29
9883.....	WHT PVC CRAFTSMAN CASING E2E 7'	7	10	0.26	2	18
2351.....	COLONIAL CASING 8'	8	12	0.24	2	23

Base

Profile	Description	Length	Pieces/ Pack	Pound/ Ft	Pound/ Each	Pound/ Pack
5106.....	RANCH BASE 8'	8	10	0.2	2	16
6761.....	CASING/BASE 8'	8	10	0.21	2	17
5523.....	COLONIAL BASE 8'	8	10	0.26	2	21
7527.....	EXTERIOR BASE 8'	8	10	0.37	3	29
7861.....	HEIRLOOM BASE 8'	8	4	0.58	5	18
9789.....	8-3/8" COMBO BASE 8'	8	2	1	10	19
5390.....	CHAIR RAIL 8'	8	6	0.24	2	11
2566.....	WAINSCOT CAP 8' DECO	8	8	0.51	4	33
9869.....	WHITE PVC COL BASE L738 8'	8	5	0.78	6	31
9871.....	WHT PVC CRAFTSMAN BASE E1E 8'	8	10	0.33	3	26
9873.....	WHITE PVC COL BASE 620 8'	8	10	0.4	3	32
9874.....	WHITE PVC COL BASE 623 8'	8	10	0.3	2	24
9878.....	WHITE PVC CHAIRRAIL 390 8'	8	10	0.21	2	17

Short Length Additions

Profile	Item #	Description	Finish/ Color	Length	Pieces/Pack
2007.....	5074551.....	LATTICE 8'	P546 WHT	8.....	20
2018.....	5098828.....	LATTICE 8'	P546 WHT	8.....	40
2021.....	5073487.....	INSIDE CORNER 8'	P546 WHT	8.....	20
2024.....	5073217.....	QUARTER ROUND 8'	7151 WHT	8.....	20
2046.....	5073276.....	SHOE MOULDING 8'	P546 WHT	8.....	50
2046.....	5073698.....	SHOE 8'	P546 WHT	8.....	20
2150.....	5098983.....	1X2 TRIMPLANK 8'	P546 WHT	8.....	10
2258.....	5099089.....	EXTERIOR BEAD 8'	P546 WHT	8.....	25
2330.....	5099151.....	HEADSTOP 8'	P546 WHT	8.....	20
2343.....	5773580.....	COLONIAL CASING 8' RM445	P546 WHITE	8.....	8
2351.....	5075061.....	COLONIAL CASING 8'	P546 WHT	8.....	12
2352.....	5099484.....	PLANKING 8'	P546 WHT	8.....	7
2355.....	5099564.....	COLONIAL CASING 8'	P546 WHT	8.....	12
2363.....	5773598.....	STOP 8'	P546 WHT	8.....	20
2365.....	5773601.....	COLONIAL CASING 8' RM442	P546	8.....	10
2369.....	5075175.....	RB3 CASING 8'	P546 WHT	8.....	4
2428.....	5773619.....	WEST COAST CASING 8'	P546	8.....	10
2435.....	5099919.....	CROWN 8'	P546 WHT	8.....	10
2440.....	5773627.....	COLONIAL CASING 8' RM351	P546 WHT	8.....	16
2448.....	5495911.....	BRICK MOULD 8'	P546 WHT	8.....	6
2449.....	5100431.....	DRIP CAP 8'	P546 WHT	8.....	25
2450.....	5495920.....	BASE CAP 8'	P546 WHT	8.....	18
2536.....	5773740.....	BALUSTER 8' 1-1/4X1-1/4"	P546 WHT	8.....	10
2542.....	5495946.....	2X2 BOARD 8'	P546 WHT	8.....	10
2566.....	5774638.....	WAINSCOT CAP 8' DECO	P546 WHT	8.....	8
2590.....	5101134.....	CASING 8'	P546 WHT	8.....	4
2592.....	5101281.....	CROWN 8'	P546 WHT	8.....	4
2598.....	5101345.....	BED MOULDING 8'	P546 WHT	8.....	25
2599.....	5101417.....	SHINGLE MOULD 8'	P546 WHT	8.....	10
2689.....	5101492.....	QUARTER ROUND 8'	P546 WHT	8.....	25
2709.....	5101652.....	FLAT TRIM (EMB) 8'	P546 WHT	8.....	8
2746.....	5774646.....	CASING 8'	P546 WHITE	8.....	8
2753.....	5774654.....	DECORATIVE TRIM 8'	P546 WHT	8.....	10
2759.....	5774662.....	TRIM 8'	P546 WHT	8.....	30
2764.....	5774671.....	WAINSCOT CAP 8'	P546 WHITE	8.....	12
2791.....	5774689.....	DRIP CAP 8' RM187	P546 WHITE	8.....	12
2803.....	5774697.....	SHOE 8' NARROW	P546 WHT	8.....	50
2837.....	5047561.....	3/4X48 SHEET BOARD 8'	P546-E0	8.....	17
2838.....	5047828.....	5/8X48 SHEET BOARD 8'	P546-E0-OEM	8.....	19
2838.....	5646610.....	5/8X48 SHEET BOARD 9' E0	P546-E0-OEM	9.....	32
2850.....	5774700.....	7/8" PARTING BEAD 8'	P546 WHT	8.....	25
2851.....	5774726.....	1-1/4" PARTING BEAD 8'	P546 WHITE	8.....	25
2852.....	5774734.....	ADAMS CASING 8' PM520	P546 WHT	8.....	4
2853.....	5774742.....	CROWN 8' RM53	P546 WHT	8.....	10
2871.....	5495268.....	1/2X48 SHEET BOARD 12'	P546-E0	12.....	12
2871.....	5048863.....	1/2X48 SHEET BOARD 9'	P546-E0-OEM	9.....	24
2878.....	5049284.....	3/8X48 SHEET BOARD 8' E0	P546-E0	8.....	50
2878.....	5629431.....	3/8X48 SHEET BOARD 9'	P546-E0-OEM	9.....	50

Appendix

Short Length Additions

Profile	Item #	Description	Finish/ Color	Length	Pieces/Pack
5111.....	5073751.....	QUARTER ROUND 8'	P546 WHT	8.....	20
5390.....	5074121.....	CHAIR RAIL 8'	P546 WHT	8.....	6
5445.....	5074261.....	COLONIAL CASING 7'	P546 WHT	7.....	15
5523.....	5074439.....	COLONIAL BASE 8'	P546 WHT	8.....	10
7152.....	5102671.....	BACK BAND 8'	P546 WHT	8.....	10
7158.....	5646214.....	RAMS CROWN 8'	P546 WHT	8.....	6
7202.....	5102794.....	RAKE MOULD 8'	P546 WHT	8.....	10
7216.....	5774751.....	WILLIAMSBURG CASING 8'	P546 WHITE	8.....	4
7252.....	5102971.....	BRICK MOULD 8'	P546 WHT	8.....	15
7371.....	5774769.....	NAIL FIN BRICK MOULD 8'	P546 WHT	8.....	4
7491.....	5775753.....	CROWN 8' RM45	P546 WHITE	8.....	4
7527.....	5104044.....	EXTERIOR BASE 8'	P546 WHT	8.....	10
7541.....	5775067.....	CROWN 8' RM48	P546 WHT	8.....	4
7661.....	5775366.....	6" CROWN 8'	P546.....	8.....	4
7710.....	5775420.....	1" BACKBAND 8'	P546 WHITE	8.....	8
7712.....	5775438.....	COLUMN TRIM 8'	P546 WHI	8.....	6
7714.....	5775446.....	PEDIMENT 8'	P546 WHT	8.....	2
7719.....	5104360.....	OUTSIDE CORNER 8'	P546 WHT	8.....	15
7788.....	5104458.....	COLONIAL STOP 8'	P546 WHT	8.....	20
7828.....	5775577.....	5/8X6 S4S TRIMBOARD 8'	P546-E1	8.....	160
7828.....	5755904.....	5/8X6 S4S TRIMBOARD 8'	P546-E0-UPC	8.....	6
7829.....	5775585.....	5/8X7 1/4 S4S TRIMBOARD 8'	P546-E1	8.....	60
7830.....	5775593.....	5/8X9 1/4 S4S TRIMBOARD 8'	P546-E1	8.....	50
7831.....	5775606.....	5/8X11 1/4 S4S TRIMBOARD 8'	P546-E1	8.....	40
7832.....	5775614.....	1X2 S4S TRIMBOARD 8'	P546-E1	8.....	270
7833.....	5775622.....	1X3 S4S TRIMBOARD 8'	P546-E1	8.....	162
7834.....	5747744.....	1X4 S4S TRIMBOARD 8'	P546-E1-UPC	8.....	221
7835.....	5051632.....	1X6 S4S TRIMBOARD 8'	P546-E1-UPC	8.....	72
7836.....	5051878.....	1X8 S4S TRIMBOARD 8'	P546-E1-UPC	8.....	54
7837.....	5775631.....	1X10 S4S TRIMBOARD 8'	P546-E1	8.....	45
7838.....	5775649.....	1X12 S4S TRIMBOARD 8'	P546-E1	8.....	36
7840.....	5775665.....	5/4X4 S4S TRIMBOARD 8'	P546-E1	8.....	91
7841.....	5775673.....	5/4X6 S4S TRIMBOARD 8'	P546-E1	8.....	56
7842.....	5775681.....	5/4X8 S4S TRIMBOARD 8'	P546-E1	8.....	42
7843.....	5775702.....	5/4X10 S4S TRIMBOARD 8'	P546-E1	8.....	35
7844.....	5775690.....	5/4X12 S4S TRIMBOARD 8'	P546-E1	8.....	28
7861.....	5075095.....	BASE 8'	P546 WHT	8.....	4
7871.....	5775711.....	1X5 S4S TRIMBOARD 8'	P546-E1	8.....	90
7874.....	5775729.....	5/4X3 S4S TRIMBOARD 8'	P546-E1	8.....	126
7875.....	5775737.....	5/4X5 S4S TRIMBOARD 8'	P546-E1	8.....	70
7901.....	5104693.....	BAND MOULDING 8'	P546 WHT	8.....	16
7937.....	5775489.....	SHINGLE BAND MOULDING 8'	P546 WHT	8.....	2
7995.....	5075343.....	FLAT CASING 8'	P546 WHT	8.....	5
9724.....	5775497.....	DECORATIVE HALF ROUND 8'	P546 WHT	8.....	17
9734.....	5775500.....	REVERSIBLE BEAD BOARD 8'	P546 WHT	8.....	4
9785.....	5775518.....	BASE CAP 8' RM166	P546 WHT	8.....	35
9789.....	5775526.....	8-3/8" COMBO BASE 8'	P546 WHT	8.....	2
9824.....	5775534.....	7-1/2" CROWN 8'	P546 WHT	8.....	2
9830.....	5779893.....	5/8X6" NICKEL GAP/SHIPLAP 8'	P546-E0-CT	8.....	2
9834.....	5779906.....	5/8X8" NICKEL GAP/SHIPLAP 8'	P546-E0-CT	8.....	2

Royal® Building Products exists for one reason: to push the limits of what every type of exterior can be. We strive for best-in-class manufacturing and industry-leading innovation. What drives us? Every homeowner who demands exteriors that add value, perform impeccably, look amazing and make their lives easier. Our goal is to bring more products, more styles, more technology, more design insight and more sustainable solutions to the attention of everyone who cares about creating the best exterior possible. Build Royal™

BuildTM



CELECT® CELLULAR COMPOSITE SIDING




ZURI® PREMIUM DECKING



ROYAL® TRIM & MOULDINGS



HAVEN® INSULATED SIDING



ROYAL® VINYL SIDING



ROYAL® SHUTTERS, MOUNTS & VENTS



ATLAS STONE™



PORTSMOUTH™ SHAKE & SHINGLES



CEDAR RENDITIONS™ ALUMINUM SIDING

 **ROYAL® Building Products**
A Westlake Company

For product warranty details, please visit RBPWarranty.com

© 2022 Royal Building Products

RoyalBuildingProducts.com

1.855.ROYAL85